



**Item# SML240104-BKGD**



### Specifications

Category: Pendant	Finish: BK+ GD
Fixture Dimension: Dia11.8"x 50"H	Overall Height: 50"
Chain/Rod Length: 42"	Wire Length: /
Bulb: Integrated LED – 5CCT - 1300 Lumen*	Maximum Wattage: 24W
Voltage: 120V	Fixture Weight: 1.6 Kg (3.52 Lbs)
Location Rating: Suitable for Damp Locations	Safety Certification: CETL

\* Compatible Dimmers:

Lutron MACL-153M   Lutron DVL-153P   Lutron SCL-153P   Leviton IPL06-10Z   Leviton 6674-POW




## Wire Connections

### ATTENTION

FIXTURE INSTALLATION MUST BE DONE BY A LICENSED ELECTRICIAN

SHUT OFF POWER SUPPLY AT FUSE OR CIRCUIT BREAKER

USE ONLY THE SPECIFIED BULBS AND DO NOT EXCEED THE MAXIMUM WATTAGE



Use standard wire connectors to make all wire connections


Twist connectors until wires are tightly joined

Wrap each connection with approved electrical tape and carefully stuff all the connected wires into outlet box




## Assembly Instructions

Item# SML240104-BKGD



Parts included		
Code	Part Description	QTY
A	Junction box	0
B	Wire nuts	3
C	Mounting bracket	1
D	Studs	2
E	Leading wires	2
F	Wires	2
G	Screws	2
H	Canopy	1
I	Swivels	1
J	12" Tubes	3
K	6" Tube	1
L	Frame	1
M	Decorative wire	3
N	Decorative iron coils	1
O	Screws	3



5COLOURS CHANGING PRESETS:2700K-3000K-4000K-5000K-6000K. 1 level is 2700K, 2 level is 3000K, 3 level is 4000K, 4 level is 5000K, 5 level is 6000K.(see switch for details.)