Item# SML333101-SM

Specifications

Category: Flush Mount

Fixture Dimension: D16"xH14"

Wire/Chain Length: N/A

Fixture Weight: 8.8Lbs(4.0Kg)

Fixture Finish: Smoke Crystal and Iron with Chrome

Bulb: 3x40W E12 Base-NOT INCLUDED

Maximum Wattage: 40W

Voltage: 120V

Approved Location: Dry Location

Safety Certification: CUL

Assembly Instructions

Item# SML333101-SM

OFF
— 1

ON — 6

— 2

— 3

— 4

— 5

A

A1

B

B1

C

D

Crystal Equipped

A	A1	B	B1	C	D

A
14mmX1
2.5"
6strings

A1
14mmX4   14mmX4
14mmX1
14mmX1
2.5"
6strings

B
14mmX1
2.5"
6strings

B1
14mmX2   14mmX2
14mmX1
14mmX1
2.5"
6strings

C
14mmX1
2.5"
6strings

D
14mmX1
40mm
1strings

Wire Connections

ATTENTION:

FIXTURE INSTALLATION MUST BE DONE BY A LICENSED ELECTRICIAN

SHUT OFF POWER SUPPLY AT FUSE OR CIRCUIT BREAKER

USE ONLY THE SPECIFIED BULBS & DO NOT EXCEED THE MAXIMUM WATTAGE

HOUSE WIRES

Black (Hot)

White (Neutral)

Green (Ground)

FIXTURE WIRES

Smooth / Black / Transparent (L)

Ribbed / White / Transparent (N)

Bare Copper / Transparent with Green Interior / Green

Use standard wire connectors to make all wire connections.

Twist connectors until wires are tightly joined together. Wrap each connection with approved electrical tape and carefully stuff all the connected wires into outlet box.